Parasitology

EDITORS

C. ARME *and* R. S. PHILLIPS

EDITORIAL ASSISTANT

M. ELISABETH PAINTER Ph.D.

ADVISORY BOARD

F. E. G. COX (Chairman)

T. J. C. ANDERSON
R. W. ASHFORD
M.-G. BASANEZ
J. M. BEHNKE
A. O. BUSH
L. H. CHAPPELL*
F. E. G. COX
T. A. DAY
K. DIETZ
R. B. GASSER
H. GINSBURG
J.-F. GUEGAN
D. W. HALTON
W. HARNETT
G. HIDE
C. R. KENNEDY
M. W. KENNEDY
D. P. KNOX
P. T. LoVERDE
D. P. McMANUS
S. A. NADLER
E. OTTESEN
P. W. PAPPAS
R. POULIN
A. ROEPSTORFF
D. ROLLINSON
A. SAUL
M. E. SCOTT
Y. TAKAHASHI
R. C. TINSLEY
K. VICKERMAN, F.R.S.
D. WAKELIN
R. A. WILSON
M. E. J. WOOLHOUSE

*Representing the British Society for Parasitology.

CAMBRIDGE
UNIVERSITY PRESS

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS
The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York, NY 10011–4211, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
Ruiz de Alarcón 13, 28014 Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa

http://www.cambridge.org

© Cambridge University Press, 2003

Printed in the United Kingdom at the
University Press Cambridge

CONTENTS

PART 1 JULY 2003

ROBERT, V., SOKHNA, C. S., ROGIER, C., ARIEY, F. and TRAPE, J.-F. Sex ratio of *Plasmodium falciparum* gametocytes in inhabitants of Dielmo, Senegal 1

FERGUSON, H. M., RIVERO, A. and READ, A. F. The influence of malaria parasite genetic diversity and anaemia on mosquito feeding and fecundity 9

POST, R. J., ADAMS, Z., SHELLEY, A. J., MAIA-HERZOG, M., LUNA DIAS, A. P. A. and COSCARÓN, S. The morphological discrimination of microfilariae of *Onchocerca volvulus* from *Mansonella ozzardi* 21

WHITFIELD, P. J., BARTLETT, A., KHAMMO, N. and CLOTHIER, R. H. Age-dependent survival and infectivity of *Schistosoma mansoni* cercariae 29

HU, M., GASSER, R. B., ABS EL-OSTA, Y. G. and CHILTON, N. B. Structure and organization of the mitochondrial genome of the canine heartworm, *Dirofilaria immitis* 37

PAPE, M., POSEDI, J., FAILING, K., SCHNIEDER, T. and VON SAMSON-HIMMELSTJERNA, G. Analysis of the beta-tubulin codon 200 genotype distribution in a benzimidazole-susceptible and -resistant cyathostome population 53

PETKEVIČIUS, S., BACH KNUDSEN, K. E., MURRELL, K. D. and WACHMANN, H. The effect of inulin and sugar beet fibre on *Oesophagostomum dentatum* infection in pigs 61

MIKEŠ, L. and MAN, P. Purification and characterization of a saccharide-binding protein from penetration glands of *Diplostomum pseudospathaceum* – a bifunctional molecule with cysteine protease activity 69

HAKALAHTI, T. and VALTONEN, E. T. Population structure and recruitment of the ectoparasite *Argulus coregoni* Thorell (Crustacea: Branchiura) on a fish farm 79

CAVALCANTE, R. R., PEREIRA, M. H. and GONTIJO, N. F. Anti-complement activity in the saliva of phlebotomine sand flies and other haematophagous insects 87

PART 2 AUGUST 2003

SOTO, M., QUIJADA, L., LARRETA, R., IBORRA, S., ALONSO, C. and REQUENA, J. M. *Leishmania infantum* possesses a complex family of histone H2A genes: structural characterization and analysis of expression 95

SRIVASTAVA, J. K., MISRA, A., SHARMA, P., SRIVASTAVA, B., NAIK, S. and DUBE, A. Prophylactic potential of autoclaved *Leishmania donovani* with BCG against experimental visceral leishmaniasis 107

WATKINS, B. M. and NOWELL, F. *Hepatozoon griseisciuri* in grey squirrels (*Sciurus carolinensis*): changes of blood leucocyte numbers resulting from infection 115

PEDERSEN, I. T., JOHANSEN, M. V. and ORNBJERG, N. The effect of a low level primary *Schistosome japonicum* infection on establishment of a challenge infection 121

KANE, R. A., SOUTHGATE, V. R., ROLLINSON, D., LITTLEWOOD, D. T. J., LOCKYER, A. E., PAGÈS, J. R., TCHUEM TCHUENTÉ, L. A. and JOURDANE, J. A phylogeny based on three mitochondrial genes supports the division of *Schistosoma intercalatum* into two separate species 131

LJUNGGREN, E. L., NILSSON, D. and MATTSSON, J. G. Expressed sequence tag analysis of *Sarcoptes scabei* 139

PAPERNA, I. and LAINSON, R. Ultrastructural studies on the sporogony of *Heptozoon* spp. in *Culex quinquefasciatus* Say, 1823 fed on infected *Caiman crocodilus* and *Boa constrictor* from northern Brazil 147

TIMI, J. T. Habitat selection by *Lernanthropus cynoscicola* (Copepoda: Lernanthropidae): host as physical environment, a major determinant of niche restriction 155

LINDENSTROM, T., COLLINS, C. M., BRESCIANI, J., CUNNINGHAM, C. O. and BUCHMANN, K. Characterization of a *Gyrodactylus salaris* variant: infection biology, morphology and molecular genetics 165

HÖGLUND, J., MORRISON, D. A., DIVINA, B. P., WILHELMSSON, E. and MATTSSON, J. G. Phylogeny of *Dictyocaulus* (lungworms) from eight species of ruminants based on analyses of ribosomal RNA data 179

FORBES, W. M., ASHTON, F. T., BOSTON, R. and SCHAD, G. A. Chemotactic behaviour of *Strongyloides stercoralis* infective larvae on a sodium chloride gradient 189

PART 3 SEPTEMPER 2003

EDITORIAL 199

NIMRI, L. F. and SCHALLIG, H. D. F. H. Application of riboprinting for the identification of isolates of cutaneous *Leishmania* spp. 201

LAVIKAINEN, A., LEHTINEN, M. J., HIRVELÄ-KOSKI, V. and MERI, S. Molecular genetic characterization of the Fennoscandian cervid strain, a new genotypic group (G10) of *Echinococcus granulosus* 207

KARVONEN, A., PAUKKU, S., VALTONEN, E. T. and HUDSON, P. J. Transmission, infectivity and survival of *Diplostomum spathaceum* cercariae 217

HIRAZAWA, N., OSHIMA, S., MITSUBOSHI, T. and YAMASHITA, S. Mucus pH of the tiger puffer *Takifugu rubripes* is an important factor for host identification by the monogenean *Heterobothrium okamotoi* 225

WEBSTER, B. L. and SOUTHGATE, V. R. Compatibility of *Schistosoma haematobium*, *S. intercalatum* and their hybrids with *Bulinus truncatus* and *B. forskalii* 231

CHLYEH, G., HENRY, P.-Y. and JARNE, P. Spatial and temporal variation of life-history traits documented using capture-mark-recapture methods in the vector snail *Bulinus truncatus* 243

AL-ADHAMI, B. H., THORNHILL, J., AKHKHA, A., DOENHOFF, M. J. and KUSEL, J. R. The properties of acidic compartments in developing schistosomula of *Schistosoma mansoni* 253

GRISARD, E. C., STURM, N. R. and CAMPBELL, D. A. A new species of trypanosome, *Trypanosoma desterrensis* sp. n., isolated from South American bats 265

BRENIERE, S. F., BARNABÉ, C., BOSSENO, M. F. and TIBAYRENC, M. Impact number of isoenzyme loci on the robustness of intraspecific phylogenies using multilocus enzyme electrophoresis: consequences for typing of *Trypanosoma cruzi* 273

PENG, W., ZHOU, X. and GASSER, R. B. *Ascaris* egg profiles in human faeces: biological and epidemiological implications 283

FRONTERA, E., CARRÓN, A., SERRANO, F. J., ROEPSTORFF, A., REINA, D. and NAVARRETTE, I. Specific systemic IgG1, IgG2 and IgM responses in pigs immunized with infective eggs or selected antigens of *Ascaris suum* 291

ERRATUM 299

PART 4 OCTOBER 2003

GOETHERT, H. K. and TELFORD, S. R. III What is *Babesia microti*? 301

BORK, S., YOKOYAMA, N., MATSUO, T., CLAVERIA, F. G., FUJISAKI, K. and IGARASHI, I. Clotrimazole, ketoconazole, and clodinafop-propargyl inhibit the *in vitro* growth of *Babesia bigemina* and *Babesia bovis* (Phylum Apicomplexa) 311

FERNANDEZ, S., PAGOTTO, A. H., FURTADO, M. M., KATSUYAMA, Â. M., MADEIRA, A. M. B. N. and GRUBER, A. A multiplex PCR assay for the simultaneous detection and discrimination of the seven *Eimeria* species that infect the domestic fowl 317

KIRCH, A. K., DUERR, H. P., BOATIN, B., ALLEY, W. S., HOFFMANN, W. H., SCHULZ-KEY, H. and SOBOSLAY, P. T. Impact of parental onchocerciasis and intensity of transmission on development and persistence of *Onchocerca volvulus* infection in offspring: an 18 year follow-up study 327

RAM, D., ZIV, E., LANTNER, F. and SCHECHTER, I. Interaction of the proteasome S5a/Rpn 10 multiubiquitin-binding protein and the 8 kDa calcium-binding protein of *Schistosoma mansoni* 337

KOHN, A. B., ROBERTS-MISTERLY, J. M., ANDERSON, P. A. V., KHAN, N. and GREENBERG, R. M. Specific sites on the Beta interaction Domain of a schistosome Ca^{2+} channel β subunit are key to its role in sensitivity to the anti-schistosomal drug praziquantel 349

SATO, H., ISHITA, K., MATSUO, K., INABA, T., KAMIYA, H. and ITO, M. Persistent infection of Mongolian jirds with a non-pathogenic trypanosome, *Trypanosoma* (*Herpetosoma*) *grosi* 357

OTRANTO, D., TARSITANO, E., TRAVERSA, D., DE LUCA, F. and GIANGASPERO, A. Molecular epidemiological survey on the vectors of *Thelazia gulosa*, *Thelazia rhodesi* and *Thelazia skrjabini* (Spirurida: Thelaziidae) 365

O'HALLORAN, D. M. and BURNELL, A. M. An investigation of chemotaxis in the insect parasitic nematode *Heterorhabditis bacteriophora* 375

VIDAL-MARTÍNEZ, V. M. and POULIN, R. Spatial and temporal repeatability in parasite community structure of tropical fish hosts 387

BYRNE, C. J., HOLLAND, C. V., KENNEDY, C. R. and POOLE, W. R. Interspecific interactions between Acanthocephala in the intestine of brown trout: are they more frequent in Ireland? 399

PART 5 NOVEMBER 2003

DE ROODE, J. C., READ, A. F., CHAN, B. H. K. and MACKINNON, M. J. Rodent malaria parasites suffer from the presence of conspecific clones in three-clone *Plasmodium chabaudi* infections 411

REECE, S. E., DUNCAN, A. B., WEST, S. A. and READ, A. F. Sex ratios in the rodent malaria parasite, *Plasmodium chabaudi* 419

GAILLARD, F.-O., BOUDIN, C., CHAN, N. P., ROBERT, V. and PICHON, G. Togetherness among *Plasmodium falciparum* gametocytes: interpretation through simulation and consequences for malaria transmission 427

TEVA, A., PORROZZI, R., CUPOLILLO, E., PIRMEZ, C., OLIVEIRA-NETO, M. P. and GRIMALDI JR, G. *Leishmania* (*Viannia*) *braziliensis*-induced chronic granulomatous cutaneous lesions affecting the nasal mucosa in the rhesus monkey (*Macaca mulatta*) model 437

SILVEIRA, T. G. V., TAKAHASHI, H. K. and STRAUS, A. H. Immunolocalization of *Leishmania* (*Viannia*) *braziliensis* membrane antigens recognized by mAbs SST-2, SST-3, and SST-4 449

KUMAR, D., McGEOWN, J. G., REYNOSO-DUCOING, O., AMBROSIO, J. R. and FAIRWEATHER, I. Observations on the musculature and isolated muscle fibres of the liver fluke, *Fasciola hepatica* 457

NORTON, J., LEWIS, J. W. and ROLLINSON, D. Parasite infracommunity diversity in eels: a reflection of local component community diversity 475

SURES, B., SCHEIBLE, T., BASHTAR, A. R. and TARASCHEWSKI, H. Lead concentrations in *Hymenolepis diminuta* adults and *Taenia taeniaformis* larvae compared to their rat hosts (*Rattus norvegicus*) sampled from the city of Cairo, Egypt 483

VON SAMSON-HIMMELSTJERNA, G., BUSCHBAUM, S., WIRTHERLE, N., PAPE, M. and SCHNIEDER, T. TaqMan minor groove binder real-time PCR analysis of β-tubulin codon 200 polymorphism in small strongyles (Cyathostomin) indicates that the TAC allele is only moderately selected in benzimidazole-resistant populations 489

MORLEY, N. J., CRANE, M. and LEWIS, J. W. Toxicity of cadmium and zinc to the decaudised cercarial life-span of *Diplostomum spathaceum* (Trematoda: Diplostomidae) 497

GUINNEE, M. A., GEMMILL, A. W., CHAN, B. H. K., VINEY, M. E. and READ, A. F. Host immune status affects maturation time in two nematode species – but not as predicted by a simple life-history model 507

PART 6 DECEMBER 2003

MARTINEZ, E., ALONSO, V., QUISPE, A., THOMAS, M. C., ALONSO, R., PIÑERO, J. E., GONZÁLES, A. C., ORTEGA, A. and VALLADARES, B. RAPD method useful for distinguishing *Leishmania* species: design of specific primers for *L. braziliensis* 513

MICHEL, A., KNOBLOCH, J. and KUNZ, W. P19: a female and tissue specifically expressed gene in *Schistosoma mansoni*, regulated by pairing with the male 519

BOOTH, M., VOUNATSOU, P., N'GORAN, E. K., TANNER, M. and UTZINGER, J. The influence of sampling effort and the performance of the Kato-Katz technique in diagnosing *Schistosoma mansoni* and hookworm co-infections in rural Côte d'Ivoire 525

COUSTAU, C., MITTA, G., DISSOUS, C., GUILLOU, F., GALINIER, R., ALLIENNE, J.-F. and MODAT, S. *Schistosoma mansoni* and *Echinostoma caproni* excretory–secretory products differentially affect gene expression in *Biomphalaria glabrata* embryonic cells 533

SUSWAM, E. A., ROSS, C. A. and MARTIN, R. J. Changes in adenosine transport associated with melaminophenyl arsenical (Mel CY) resistance in *Trypanosoma evansi*: down-regulation and affinity changes of the P2 transporter 543

HAOND, C., NOLAN, D. T., RUANE, N. M., ROTLLANT, J. and WENDELAAR BONGA, S. E. Cortisol influences the host–parasite interaction between the rainbow trout (*Oncorhynchus mykiss*) and the crustacean ectoparasite *Argulus japonicus* 551

CHISHOLM, L. A. and WHITTINGTON, I. D. Invasion of the shovelnose ray (*Rhinobatos typus*) by *Neoheterocotyle rhinobatidis* and *Merizocotyle icopae* (Monogenea: Monocotylidae) 561

RIGAUD, T. and MORET, Y. Differential phenoloxidase activity between native and invasive gammarids infected by local acanthocephalans: differential immunosuppression? 571

NJUE, A. I. and PRICHARD, R. K. Cloning two full-length beta-tubulin isotype cDNAs from *Cooperia oncophora*, and screening for benzimidazole resistance-associated mutations in two isolates 579

POINAR JR, G. Fossil evidence of phorid parasitism (Diptera: Phoridae) by allantonematid nematodes (Tylenchida: Allantonematidae) 589

TAIRA, K., SAEED, I., LIND, P., MURRELL, K. D. and KAPEL, C. M. O. Population dynamics of *Toxocara canis* in pigs receiving a single or multiple infection 593

MATEJUSOVÁ, I., GELNAR, M., VERNEAU, O., CUNNINGHAM, C. O. and LITTLEWOOD, D. T. J. Molecular phylogenetic analysis of the genus *Gyrodactylus* (Platyhelminthes: Monogenea) inferred from rDNA ITS region: subgenera versus species groups 603